
From: Stephen Conover
Sent: 27 June 2015 03:46
To: Dr. Anurag Sharma
Cc: Dr Seema R Pathak; Ashok Sharma
Subject: "EVALUATION OF THE BIOLOGICAL ACTIVITY OF HEPARIN ATTACHED TO HOLLOW FIBER MEMBRANE"

Dear Dr. Anurag Sharma & Dr. Seema R. Pathak:

Applied Membrane Technology Inc. is pleased to accept your proposal for "EVALUATION OF THE BIOLOGICAL ACTIVITY OF HEPARIN ATTACHED TO HOLLOW FIBER MEMBRANE" as presented in the revision copy attached to this email. AMT would like to initiate this work as soon as possible, so kindly let us know how best to proceed in terms formalizing the study and to set up payment.

Best Regards,

Stephen P. Conover
President & C.E.O.
Applied Membrane Technology, Inc.
11558 Encore Circle, MTKA, MN.
55343

Tel: +1 (952) 933-5121
Fax: +1 (952) 933-8839

Note: this e-mail, and any attachments, is intended solely for use by the addressee(s) named above. It may contain the confidential or proprietary information of AMT Inc. or its business partners. If you are not the intended recipient of this e-mail or are an unauthorized recipient of the information, you are hereby notified that any dissemination, distribution or copying of this e-mail or any attachments, is strictly prohibited. If you have received this e-mail in error, please immediately notify the sender by reply e-mail and permanently delete the original and any copies or printouts.